## IN THE CLAIMS

Please amend the claims as follows:

1. (CURRENTLY AMENDED) A golf ball comprising:

2

a core having one or more layers; and

one or more high-density regions interiorly disposed along a common plane in at least one of the core layers of the golf ball and centered about the horizontal spin axis of the ball, wherein the high-density regions are not visible to a golfer through the cover, the cover further comprising one or more markings, said markings providing a visible indicia of at least one of: (i) the gyroscopic center plane of the ball; and (2) a spin axis of the ball, the spin axis being perpendicular to the center plane and passing through a center of the ball.

- 2. (ORIGINAL) The golf ball of claim 1, wherein the one or more high-density regions comprise a continuous or discontinuous band of high-density material positioned along the gyroscopic center plane of the golf ball.
- 3. (ORIGINAL) The golf ball of claim 2, wherein the band is disposed in the outer layer of the core along a longitudinal axis which is perpendicular to the ball's spin axis.
- 4. (ORIGINAL) The golf ball of claim 2, wherein said band comprises two or more equally segmented parts radially disposed along a common plane.
- 5. (PREVIOUSLY PRESENTED) The golf ball of claim 1 further comprising a cover disposed about said core, wherein the cover is formed from a material selected from a translucent or transparent cover material, and further wherein the high-density regions are visible to a golfer through said cover.

## 6. (CANCELED)

7. (ORIGINAL) The golf ball of claim 2, wherein said band comprises three or more equally segmented parts radially disposed along a common plane.

P-5512

3

- 8. (ORIGINAL) The golf ball of claim 2, wherein the band comprises from 2 to 12 equally spaced segments.
- 9. (ORIGINAL) The golf ball of claim 8, wherein the segments comprise highdensity members which are radially equally spaced apart about a spin axis of the golf ball, and wherein each segment is located within the golf ball an equal distance from the spin axis.
- 10. (PREVIOUSLY PRESENTED) The golf ball of claim 2 further comprising a cover disposed about said core, wherein said band comprises five or more equally segmented parts radially disposed along a common plane and equal distance from the spin axis;

the cover comprises one or more cover layers; and
the one or more high-density regions comprise at least one continuous or
discontinuous band of high-density material formed in at least one core layer.

- 11. (ORIGINAL) A golf ball comprising:
- a core, said core defining at least one hollow channel extending around the longitudinal axis of the core perpendicular to the ball's spin axis; and at least one high-density region disposed in said hollow channel.
- 12. (ORIGINAL) The golf ball of claim 11, wherein the high density region has a density of 1.2 or more.
- 13. (ORIGINAL) The golf ball of claim 11, wherein said high density region comprises a density-adjusting filler.
- 14. (ORIGINAL) The golf ball of claim 11, wherein said high density region comprises a continuous or discontinuous band of high density material.

- 15. (ORIGINAL) The golf ball of claim 14, wherein the band comprises two or more equally segmented parts radially disposed along a common plane.
- 16. (ORIGINAL) The golf ball of claim 11, wherein the core comprises a multilayer core.
- 17. (ORIGINAL) The golf ball of claim 11, wherein the high density region comprises a continuous metal band having a density of greater than 1.2.
- 18. (ORIGINAL) The golf ball of claim 11, wherein the high density region comprises a continuous band of metallic material comprising brass, steel, copper, iron, tungsten, bronze, nickel, stainless steel, titanium, aluminum and molybdenum.
- 19. (ORIGINAL) A golf ball having a controlled weight distribution about the ball's horizontal spin axis comprising:
- a core having a high density region interiorly disposed within the extension perimeter of the core along the ball's gyroscopic center plane and about the ball's spin axis.
- 20. (ORIGINAL) The golf ball of claim 19, wherein said high density region of said core defines a channel disposed on the longitudinal axis of the exterior perimeter of the core and about the spin axis of the ball; and

further comprising a cover enclosing the core.